

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Print FormatYour search matched **5** of **918712** documents.A maximum of **5** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

Then click **Search Again**.

database and tree and superset*

Results:Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 The partial-order tree: a new structure for indexing on complex attributes in object-oriented databases***Goczyla, K.;*EUROMICRO 97. 'New Frontiers of Information Technology',
Proceedings of the 23rd EUROMICRO Conference , 1-4 Sep 1997

Page(s): 47 -54

[\[Abstract\]](#) [\[PDF Full-Text \(596 KB\)\]](#) **IEEE CNF****2 Path signatures: a way to speed up recursion in relational databases***Teuhola, J.;*Knowledge and Data Engineering, IEEE Transactions on , Volume: 8
Issue: 3 , Jun 1996

Page(s): 446 -454

[\[Abstract\]](#) [\[PDF Full-Text \(804 KB\)\]](#) **IEEE JRN****3 Efficient indexing structures for mining frequent patterns***Bin Lan; Beng Chin Ooi; Kian-Lee Tan;*Data Engineering, 2002. Proceedings. 18th International Conference
on , 2002

Page(s): 453 -462

[\[Abstract\]](#) [\[PDF Full-Text \(352 KB\)\]](#) **IEEE CNF****4 An efficient relational implementation of recursive relationships using path signatures**

Teuhola, J.;

Data Engineering, 1994. Proceedings. 10th International Conference
, 14-18 Feb 1994

Page(s): 348 -355

[\[Abstract\]](#) [\[PDF Full-Text \(596 KB\)\]](#) **IEEE CNF**

**5 Prefix trees: new efficient data structures for matching
strings of different lengths**

Yazdani, N.; Min, P.S.;

Database Engineering & Applications, 2001 International Symposium
on. , 2001

Page(s): 76 -85

[\[Abstract\]](#) [\[PDF Full-Text \(804 KB\)\]](#) **IEEE CNF**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2002 IEEE — All rights reserved

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Print FormatYour search matched **3** of **918712** documents.A maximum of **3** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

Then click **Search Again**.

Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 The partial-order tree: a new structure for indexing on complex attributes in object-oriented databases***Goczyla, K.;*EUROMICRO 97. 'New Frontiers of Information Technology'.
Proceedings of the 23rd EUROMICRO Conference , 1-4 Sep 1997
Page(s): 47 -54[\[Abstract\]](#) [\[PDF Full-Text \(596 KB\)\]](#) **IEEE CNF****2 Efficient indexing structures for mining frequent patterns***Bin Lan; Beng Chin Ooi; Kian-Lee Tan;*Data Engineering, 2002. Proceedings. 18th International Conference on , 2002
Page(s): 453 -462[\[Abstract\]](#) [\[PDF Full-Text \(352 KB\)\]](#) **IEEE CNF****3 Prefix trees: new efficient data structures for matching strings of different lengths***Yazdani, N.; Min, P.S.;*Database Engineering & Applications, 2001 International Symposium on. , 2001
Page(s): 76 -85[\[Abstract\]](#) [\[PDF Full-Text \(804 KB\)\]](#) **IEEE CNF**

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Print Format

Your search matched **29** of **918712** documents.

A maximum of **29** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

Then click **Search Again**.

database and tree and subset*

Search Again

Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

1 Indexing valid time databases via B⁺-trees

Nascimento, M.A.; Dunham, M.H.;

Knowledge and Data Engineering, IEEE Transactions on , Volume: 11
Issue: 6 , Nov/Dec 1999

Page(s): 929 -947

[\[Abstract\]](#) [\[PDF Full-Text \(1188 KB\)\]](#) **IEEE JRN**

2 On support vector decision trees for database marketing

Bennett, K.P.; Wu, S.; Auslender, L.;

Neural Networks, 1999. IJCNN '99. International Joint Conference on
, Volume: 2 , Jul 1999

Page(s): 904 -909 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(568 KB\)\]](#) **IEEE CNF**

3 Binary partition based algorithms for mining association rules

Jianlin Feng; Yucai Feng;

Research and Technology Advances in Digital Libraries, 1998. ADL
98. Proceedings. IEEE International Forum on , 22-24 Apr 1998

Page(s): 30 -34

[\[Abstract\]](#) [\[PDF Full-Text \(60 KB\)\]](#) **IEEE CNF**

4 TSA-tree: a wavelet-based approach to improve the efficiency of multi-level surprise and trend queries

time-series data

Shahabi, C.; Tian, X.; Zhao, W.;

Scientific and Statistical Database Management, 2000. Proceedings.
12th International Conference on , 2000

Page(s): 55 -68

[\[Abstract\]](#) [\[PDF Full-Text \(516 KB\)\]](#) **IEEE CNF**

5 Efficient proximity search in multivariate data

Kao, D.T.; Bergeron, R.D.; Sparr, T.M.;

Scientific and Statistical Database Management, 1998. Proceedings.
Tenth International Conference on , 1-3 Jul 1998

Page(s): 145 -154

[\[Abstract\]](#) [\[PDF Full-Text \(404 KB\)\]](#) **IEEE CNF**

6 The partial-order tree: a new structure for indexing on complex attributes in object-oriented databases

Goczyla, K.;

EUROMICRO 97. 'New Frontiers of Information Technology'.
Proceedings of the 23rd EUROMICRO Conference , 1-4 Sep 1997

Page(s): 47 -54

[\[Abstract\]](#) [\[PDF Full-Text \(596 KB\)\]](#) **IEEE CNF**

7 Master-client R-trees: a new parallel R-tree architecture

Schnitzer, B.; Leutenegger, S.T.;

Scientific and Statistical Database Management, 1999. Eleventh
International Conference on , Aug 1999

Page(s): 68 -77

[\[Abstract\]](#) [\[PDF Full-Text \(292 KB\)\]](#) **IEEE CNF**

8 Segment pre-selection in decision-tree based speech synthesis systems

Donovan, R.E.;

Acoustics, Speech, and Signal Processing, 2000. ICASSP '00.
Proceedings. 2000 IEEE International Conference on , Volume: 2 ,
2000

Page(s): II937 -II940 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(420 KB\)\]](#) **IEEE CNF**

9 Large vocabulary word recognition based on tree-trellis search

Jung-Kuei Chen; Soong, F.K.; Lin-Shan Lee;
Acoustics, Speech, and Signal Processing, 1994. ICASSP-94., 1994
IEEE International Conference on , Volume: ii , 19-22 Apr 1994
Page(s): II/137 -II/140 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(324 KB\)\]](#) [IEEE CNF](#)

**10 GRG: knowledge discovery using information
generalization, information reduction, and rule generation**

Ning Shan; Hamilton, H.J.; Cercone, N.;
Tools with Artificial Intelligence, 1995. Proceedings., Seventh
International Conference on , 5-8 Nov 1995
Page(s): 372 -379

[\[Abstract\]](#) [\[PDF Full-Text \(700 KB\)\]](#) [IEEE CNF](#)

11 Transforming supervised classifiers for feature extraction

Bursteinas, B.; Long, J.A.;
Tools with Artificial Intelligence, 2000. ICTAI 2000. Proceedings.
12th IEEE International Conference on , 2000
Page(s): 274 -280

[\[Abstract\]](#) [\[PDF Full-Text \(840 KB\)\]](#) [IEEE CNF](#)

**12 Efficient searches for similar subsequences of different
lengths in sequence databases**

Park, S.; Chu, W.W.; Yoon, J.; Hsu, C.;
Data Engineering, 2000. Proceedings. 16th International Conference
on , 2000
Page(s): 23 -32

[\[Abstract\]](#) [\[PDF Full-Text \(388 KB\)\]](#) [IEEE CNF](#)

**13 Speaker recognition using neural networks and
conventional classifiers**

Farrell, K.R.; Mammone, R.J.; Assaleh, K.T.;
Speech and Audio Processing, IEEE Transactions on , Volume: 2
Issue: 1 , Jan 1994
Page(s): 194 -205

[\[Abstract\]](#) [\[PDF Full-Text \(1104 KB\)\]](#) [IEEE JRN](#)

14 Indexing images by trees f visual c ntent

Schweitzer, H.;
Computer Vision, 1998. Sixth International Conference on , 4-7 Jan

1998

Page(s): 582 -587

[\[Abstract\]](#) [\[PDF Full-Text \(756 KB\)\]](#) [IEEE CNF](#)

**15 Induction of rules subject to a quality constraint:
probabilistic inductive learning**

Gur-Ali, O.; Wallace, W.A.;

Knowledge and Data Engineering, IEEE Transactions on , Volume: 5

Issue: 6 , Dec 1993

Page(s): 979 -984

[\[Abstract\]](#) [\[PDF Full-Text \(524 KB\)\]](#) [IEEE JRN](#)

[1](#) [2](#) [\[Next\]](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2002 IEEE — All rights reserved

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Your search matched **29** of **918712** documents.A maximum of **29** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

Then click **Search Again**.

database and tree and subset*

[Search Again](#)**Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****16 Parallel reduction of a chain query in distributed databases***Yanchun Zhang; Orlowska, M.E.;*

Computing and Information, 1992. Proceedings. ICCI '92., Fourth International Conference on , 28-30 May 1992

Page(s): 453 -456

[\[Abstract\]](#) [\[PDF Full-Text \(284 KB\)\]](#) **IEEE CNF****17 Incorporating acoustic-phonetic knowledge in hybrid TDNN/HMM frameworks***Dugast, C.; Devillers, L.;*

Acoustics, Speech, and Signal Processing, 1992. ICASSP-92., 1992 IEEE International Conference on , Volume: 1 , 23-26 Mar 1992

Page(s): 421 -424 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(308 KB\)\]](#) **IEEE CNF****18 A team-oriented query language***Jorng-Tzong Horng; Gwo-Dong Chen; Cheng-Yan Kao; Baw-Jhiune Liu;*

Systems, Man, and Cybernetics, 1994. 'Humans, Information and Technology', 1994 IEEE International Conference on , Volume: 2 , 2-5 Oct 1994

Page(s): 1503 -1508 vol. 2

[\[Abstract\]](#) [\[PDF Full-Text \(522 KB\)\]](#) **IEEE CNF****19 On multicasting in a communication network**

Makki, K.; Pissinou, N.; Frieder, O.;
Computer Communications and Networks, 1995. Proceedings.,
Fourth International Conference on , 20-23 Sep 1995
Page(s): 647 -654

[\[Abstract\]](#) [\[PDF Full-Text \(688 KB\)\]](#) [IEEE CNF](#)

20 Mining quantitative association rules under inequality constraints

Charles Lo; Vincent Ng;
Knowledge and Data Engineering Exchange, 1999. (KDEX '99)
Proceedings. 1999 Workshop on , 1999
Page(s): 53 -59

[\[Abstract\]](#) [\[PDF Full-Text \(220 KB\)\]](#) [IEEE CNF](#)

21 Optimization for queries with holistic functions

Chiou, A.S.; Sieg, J.C.;
Database Systems for Advanced Applications, 2001. Proceedings.
Seventh International Conference on , 2001
Page(s): 327 -334

[\[Abstract\]](#) [\[PDF Full-Text \(564 KB\)\]](#) [IEEE CNF](#)

22 Delay-optimal quorum consensus for distributed systems

Ada Waichee Fu;
Parallel and Distributed Systems, IEEE Transactions on , Volume: 8
Issue: 1 , Jan 1997
Page(s): 59 -69

[\[Abstract\]](#) [\[PDF Full-Text \(568 KB\)\]](#) [IEEE JRN](#)

23 A dynamic interquery optimization method for achieving data sharing among concurrent queries

Mikkilineni, K.; Su, S.;
Distributed Computing Systems in the 1990s, 1988. Proceedings.,
Workshop on the Future Trends of , 14-16 Sep 1988
Page(s): 477 -486

[\[Abstract\]](#) [\[PDF Full-Text \(836 KB\)\]](#) [IEEE CNF](#)

24 Content-based search and clustering for remote sensing imagery

Marchisio, G.B.; Cornelison, J.;
Geoscience and Remote Sensing Symposium, 1999. IGARSS '99

Proceedings. IEEE 1999 International , Volume: 1 , 1999

Page(s): 290 -292 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(396 KB\)\]](#) **IEEE CNF**

25 2D TSA-tree: a wavelet-based approach to improve the efficiency of multi-level spatial data mining

Shahabi, C.; Seokkyung Chung; Safar, M.; Hajj, G.;

Scientific and Statistical Database Management, 2001. SSDBM 2001.

Proceedings. Thirteenth International Conference on , 2001

Page(s): 59 -68

[\[Abstract\]](#) [\[PDF Full-Text \(884 KB\)\]](#) **IEEE CNF**

26 An integrated approach to system design, reliability, and diagnosis

Patterson-Hine, F.A.; Iverson, D.L.;

Digital Avionics Systems Conference, 1990. Proceedings.,

IEEE/AIAA/NASA 9th , 15-18 Oct 1990

Page(s): 480 -487

[\[Abstract\]](#) [\[PDF Full-Text \(724 KB\)\]](#) **IEEE CNF**

27 Decision tree learning on very large data sets

Hall, L.O.; Chawla, N.; Bowyer, K.W.;

Systems, Man, and Cybernetics, 1998. 1998 IEEE International

Conference on , Volume: 3 , 11-14 Oct 1998

Page(s): 2579 -2584 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(396 KB\)\]](#) **IEEE CNF**

28 Voicing state determination of co-channel speech

Benincasa, D.S.; Savic, M.I.;

Acoustics, Speech, and Signal Processing, 1998. ICASSP '98.

Proceedings of the 1998 IEEE International Conference on , Volume:

2 , 12-15 May 1998

Page(s): 1021 -1024 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(328 KB\)\]](#) **IEEE CNF**

29 H-BLOB: a hierarchical visual clustering method using implicit surfaces

Sprenger, T.C.; Brunella, R.; Gross, M.H.;

Visualization 2000. Proceedings , 2000

Page(s): 61 -68, 540



[> home](#) [> about](#) [> feedback](#) [> login](#)
US Patent & Trademark Office

16

Search Results

Search Results for: [database and tree and superset*]
Found 356 of 105,850 searched. → Rerun within the Portal

Warning: Maximum result set of 200 exceeded. Consider refining.

Search within Results



[> Advanced Search](#) [> Search Help/Tips](#)

Sort by: **Title** **Publication** **Publication Date** **Score**

Results 1 - 20 of 200

short listing



1 2 3 4 5 6 7 8 9 10



1 B-trees: bearing fruits of all kinds 100%



Beng Chin Ooi , Kian-Lee Tan

Australian Computer Science Communications , Proceedings of the
thirteenth Australasian conference on Database technologies - Volume
5 January 2002

Volume 24 Issue 2

Index structures are often used to support search operations in large databases. Many advanced database application domains such as spatial databases, multimedia databases, temporal databases, and object-oriented databases, call for index structures that are specially designed and tailored for the domains. Interestingly, in each of these domains, we find methods that are based on one distinct structure --- the B-tree. Invented some thirty years ago, the B-tree has been challenged repeatedly, but ...

2 Tree queries: a simple class of relational queries 100%



Nathan Goodman , Oded Shmueli

ACM Transactions on Database Systems (TODS) December 1982

Volume 7 Issue 4

One can partition the class of relational database schemas into tree schemas and cyclic schemas. (These are called acyclic hypergraphs and cyclic hypergraphs elsewhere in the literature.) This partition

has interesting implications in query processing, dependency theory, and graph theory. The tree/cyclic partitioning of database schemas originated with a similar partition of equijoin queries. Given an arbitrary equijoin query one can obtain an equivalent query that calculates the ...

3 Optimization techniques for queries with expensive methods 100%



Joseph M. Hellerstein

ACM Transactions on Database Systems (TODS) June 1998

Volume 23 Issue 2

Object-relational database management systems allow knowledgeable users to define new data types as well as new methods (operators) for the types. This flexibility produces an attendant complexity, which must be handled in new ways for an object-relational database management system to be efficient. In this article we study techniques for optimizing queries that contain time-consuming methods. The focus of traditional query optimizers has been on the choice of join methods and orders; selec ...

4 Implementation of logical query languages for databases 100%



Jeffrey D. Ullman

ACM Transactions on Database Systems (TODS) September 1985

Volume 10 Issue 3

We examine methods of implementing queries about relational databases in the case where these queries are expressed in first-order logic as a collection of Horn clauses. Because queries may be defined recursively, straightforward methods of query evaluation do not always work, and a variety of strategies have been proposed to handle subsets of recursive queries. We express such query evaluation techniques as "capture rules" on a graph representing clauses and predicates. One ess ...

5 Optimization of queries with user-defined predicates 100%







Surajit Chaudhuri , Kyuseok Shim

ACM Transactions on Database Systems (TODS) June 1999


Volume 24 Issue 2

Relational databases provide the ability to store user-defined functions and predicates which can be invoked in SQL queries. When evaluation of a user-defined predicate is relatively expensive, the traditional method of evaluating predicates as early as possible is no longer a sound heuristic. There are two previous approaches for optimizing such queries. However, neither is able to guarantee the optimal plan over the desired execution space. We present efficient techniques that are able to ...


- 6** Outerjoin simplification and reordering for query optimization 100%
 César Galindo-Legaria , Arnon Rosenthal
ACM Transactions on Database Systems (TODS) March 1997
Volume 22 Issue 1
- 7** The generalized tree quorum protocol: an efficient approach for 100%
 managing replicated data
D. Agrawal , A. El Abbadi
ACM Transactions on Database Systems (TODS) December 1992
Volume 17 Issue 4
In this paper, we present a low-cost fault-tolerant protocol for managing replicated data. We impose a logical tree structure on the set of copies of an object and develop a protocol that uses the information available in the logical structure to reduce the communication requirements for read and write operations. The tree quorum protocol is a generalization of the static voting protocol with two degrees of freedom for choosing quorums. In general, this results in significantly lower commun ...
- 8** Avoiding Cartesian products for multiple joins 100%
 Shinichi Morishita
Journal of the ACM (JACM) January 1997
Volume 44 Issue 1
Computing the natural join of a set of relations is an important operation in relational database systems. The ordering of joins determines to a large extent the computation time of the join. Since the number of possible orderings could be very large, query optimizers first reduce the search space by using various heuristics and then try to select an optimal ordering of joins. Avoiding Cartesian products is a common heuristic for reducing the search space, but it cannot guarantee optimal or ...
- 9** Open commit protocols tolerating commission failures 100%
 Kurt Rothermel , Stefan Pappé
ACM Transactions on Database Systems (TODS) June 1993
Volume 18 Issue 2
To ensure atomicity of transactions in distributed systems so-called 2-phase commit (2PC) protocols have been proposed. The basic assumption of these protocols is that the processing nodes involved in transactions are “sane,” i.e., they only fail with omission failures, and nodes eventually recover from failures. Unfortunately, this assumption is not realistic for so-called Open Distributed Systems (ODSs), in which nodes may have totally different reliability characteristics. In ...

- 10** Depth first generation of long patterns 100%
Ramesh C. Agarwal , Charu C. Aggarwal , V. V. V. Prasad
Proceedings of the sixth ACM SIGKDD international conference on Knowledge discovery and data mining August 2000
- 11** Contributed articles: Towards long pattern generation in dense databases 100%
Charu C. Aggarwal
ACM SIGKDD Explorations Newsletter July 2001
Volume 3 Issue 1
This paper discusses the problem of long pattern generation in dense databases. In recent years, there has been an increase of interest in techniques for maximal pattern generation. We present a survey of this class of methods for long pattern generation which differ considerably from the level-wise approach of traditional methods. Many of these techniques are rooted in combinatorial tricks which can be applied only when the generation of frequent patterns is not forced to be level wise. We pres ...
- 12** Index structures for selective dissemination of information under the Boolean model 100%
Tak W. Yan , Héctor García-Molina
ACM Transactions on Database Systems (TODS) June 1994
Volume 19 Issue 2
The number, size, and user population of bibliographic and full-text document databases are rapidly growing. With a high document arrival rate, it becomes essential for users of such databases to have access to the very latest documents; yet the high document arrival rate also makes it difficult for users to keep themselves updated. It is desirable to allow users to submit profiles, i.e., queries that are constantly evaluated, so that they will be automatically informed of new additions tha ...
- 13** Functions in databases 100%
Marc H. Graham
ACM Transactions on Database Systems (TODS) March 1983
Volume 8 Issue 1
We discuss the objectives of including functional dependencies in the definition of a relational database. We find two distinct objectives. The appearance of a dependency in the definition of a database indicates that the states of the database are to encode a function. A method based on the chase of calculating the function encoded by a particular state is given and compared to methods utilizing derivations of the dependency. A test for deciding whether the states of a schema may encode a ...


14 The design of the E programming language 100%

-  Joel E. Richardson , Michael J. Carey , Daniel T. Schuh
ACM Transactions on Programming Languages and Systems (TOPLAS)
July 1993
Volume 15 Issue 3


15 Syntactic Characterization of Tree Database Schemas 100%

-  Nathan Goodman , Oded Shmueli
Journal of the ACM (JACM) October 1983
Volume 30 Issue 4


16 Static analysis in datalog extensions 100%

-  Alon Y. Halevy , Inderpal Singh Mumick , Yehoshua Sagiv , Oded Shmueli
Journal of the ACM (JACM) September 2001
Volume 48 Issue 5
We consider the problems of containment, equivalence, satisfiability and query-reachability for datalog programs with negation. These problems are important for optimizing datalog programs. We show that both query-reachability and satisfiability are decidable for programs with stratified negation provided that negation is applied only to EDB predicates or that all EDB predicates are unary. In the latter case, we show that equivalence is also decidable. The algorithms we present can also be used ...

17 Efficient content-based indexing of large image databases 100%


-  Essam A. El-Kwae , Mansur R. Kabuka
ACM Transactions on Information Systems (TOIS) April 2000
Volume 18 Issue 2
Large image databases have emerged in various applications in recent years. A prime requisite of these databases is the means by which their contents can be indexed and retrieved. A multilevel signature file called the Two Signature Multi-level Signature File (2SMLSF) is introduced as an efficient access structure for large image databases. The 2SMLSF encodes image information into binary signatures and creates a tree structures can be efficiently searched ...

18 Computational problems related to the design of normal form 100%

-  relational schemas
Catriel Beeri , Philip A. Bernstein
ACM Transactions on Database Systems (TODS) March 1979
Volume 4 Issue 1

Problems related to functional dependencies and the algorithmic design of relational schemas are examined. Specifically, the following results are presented: (1) a tree model of derivations of functional dependencies from other functional dependencies; (2) a linear-time algorithm to test if a functional dependency is in the closure of a set of functional dependencies; (3) a quadratic-time implementation of Bernstein's third normal form schema synthesis algorithm. Furthermore, it ...

19 The multicast policy and its relationship to replicated data 100%

 placement


Ouri Wolfson , Amir Milo

ACM Transactions on Database Systems (TODS) March 1991

Volume 16 Issue 1

In this paper we consider the communication complexity of maintaining the replicas of a logical data-item, in a database distributed over a computer network. We propose a new method, called the minimum spanning tree write, by which a processor in the network should multicast a write of a logical data-item, to all the processors that store replicas of the items. Then we show that the minimum spanning tree write is optimal from the communication cost point of view. We also demonstrate that the ...

20 Using Semi-Joins to Solve Relational Queries 100%

 Philip A. Bernstein , Dah-Ming W. Chiu

Journal of the ACM (JACM) January 1981

Volume 28 Issue 1

Results 1 - 20 of 200


short listing


Prev
Page

1 2 3 4 5 6 7 8 9 10


Next
Page

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.

[Return to NPL Web Page](#)[Text Version](#)

English

[?Help](#)

Collections

Search
MethodsTopic
FinderBrowse
ListsResults &
Marked ListSearch
Guide

Searching collections: All Collections

Search Results

[Save Link](#) Saves this search as a Durable Link under "Results-Marked List"**1 articles matched your search.**

- ☐ 1. [Bringing data to the desktop](#); Van Kirk, Douglas; **CFO**, Boston; Feb 1994; Vol. 10, Iss. 2; pg. 43, 3 pgs

Refine your search. Enter a word, words or specific phrase.

database tree superset

[Search](#)


Date range: Backfile (1986 - 1998)

Publication
type: All

Search in: Article text

- ☒ Show results with full text availability only
☐ Show articles from peer reviewed publications only
☐ Show total number of articles

Copyright © 2003 ProQuest Information and Learning Company. All rights reserved
[Terms and Conditions](#)

[Return to NPL Web Page](#)[Text Version](#)

English

[?Help](#)

Collections



Search Methods



Topic Finder



Browse Lists



Results & Marked List



Search Guide

Searching collections: All Collections

Search Results



Saves this search as a Durable Link under "Results-Marked List"

4 articles matched your search.

- ☐ 1. Cabela's moves from CHAID to CART model; *Kimberly Rengle*; **Target Marketing**, Philadelphia; Jul 1998; Vol. 21, Iss. 7; pg. 36, 2 pgs
- ☐ 2. Database-oriented web-site designer; *Andy Feibus*; **InformationWeek**, Manhasset; Feb 16, 1998, Iss. 669; pg. 88, 2 pgs
- ☐ 3. Directory dilemma; *Jeff Symoens*; **InfoWorld**, San Mateo; Nov 17, 1997; Vol. 19, Iss. 46; pg. 1, 1 pgs
- ☐ 4. Evolution of Data Modeling for Databases; *Navathe, Shamkant B.*; **Association for Computing Machinery. Communications of the ACM**, New York; Sep 1992; Vol. 35, Iss. 9; pg. 112, 12 pgs

Refine your search. Enter a word, words or specific phrase.

Date range:

Backfile (1986 - 1998)

Publication type:

All

Search in:

Article text

- ☒ Show results with full text availability only
- ☐ Show articles from peer reviewed publications only
- ☐ Show total number of articles



Copyright © 2003 ProQuest Information and Learning Company. All rights reserved
[Terms and Conditions](#)

Thangavelu, Kandasamy

From: Alam, Hosain
S nt: Wednesday, February 12, 2003 8:43 AM
To: Thangavelu, Kandasamy
Subject: RE: Classes to search

For search help in Class 707, Subclasses 1-10, 100-104.1, and 200-206, I have allocated the following hours: Tue and Thurs, 2:00 - 4:00 pm.
Urgent help can be prearranged any time

Hosain
308-6662

-----Original Message-----

Fr m: Thangavelu, Kandasamy
Sent: Wednesday, February 12, 2003 8:38 AM
T : Teska, Kevin; Thomson, William; Ingberg, Todd; Alam, Hosain; Vu, Kim
Subject: Classes to search

Hi Kevin, Bill, Todd and Hosain,

Attached is an amendment to an independent claim of an application that I am working on. It deals with organizing simulation test inputs and test data and is related to database organization. I am searching in the class 707 subclasses 1, 2, 100-102. The applicant claims that the supesets underlying the subsets is his novelty and merits the approval. I am not convinced. Can you please suggest to me if I should search any other 2 or 3 classes and subclasses? can you also recommend to me any other primaries who can give me some idea?

K. Thangavelu

EAST SEARCH

5/24/02

| L# | Hits | Search String | Databases |
|-----|-------|---|---|
| L1 | 2 | 6,106,561.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L2 | 2 | 6,018,497.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L3 | 67576 | Simulation | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L4 | 232 | Simulation and (case adj scenario\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L5 | 8 | Simulation and (case adj manager) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L6 | 2 | (Simulation and (case adj scenario\$)) and (scenario\$ adj manager) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L7 | 1 | (Simulation and (case adj scenario\$)) and (scenario\$ adj builder) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L8 | 4 | Simulation and (case adj builder) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L11 | 9 | Simulation and (results adj viewer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L14 | 2 | (Simulation and ((3D or 3-D) adj viewer)) and (Simulation and (report adj generator) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L15 | 16 | Simulation and ((3D or 3-D) adj viewer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L16 | 10 | Simulation and (run adj controller) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L17 | 132 | Simulation adj controller | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L19 | 49 | (Simulation adj controller) and display | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L20 | 20 | ((Simulation adj controller) and display) and monitor | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L10 | 48 | Simulation and (report adj generator) and control | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L21 | 5 | Simulation and (report adj generator) and (results adj file) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L22 | 54 | Simulation and (report adj generator) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L23 | 46 | Simulation and (report adj generator) and select | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L24 | 492 | Simulation and (tree adj structure) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L25 | 13 | (Simulation and (tree adj structure)) and (case adj scenario) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L26 | 233 | Simulation and (case adj scenario\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L27 | 123 | (Simulation and (case adj scenario\$)) and (organiz\$ or manag\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L28 | 2 | ((Simulation and (case adj scenario\$)) and (organiz\$ or manag\$)) and ((case or sce | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L29 | 4 | (Simulation and (case adj scenario\$)) and ((organiz\$ or manag\$) adj (case\$ or sce | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L30 | 67649 | Simulation | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L1 | 25 | Simulation and (tree adj like adj structure) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L2 | 22 | (Simulation and (tree adj like adj structure)) and (case\$ or scenario\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L3 | 2 | 6,151,582.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L4 | 1 | 6,151,582.pn. and (input or simulator) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L3 | 0 | 6,151,582.pn. and (simulation adj results) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L3 | 1 | 6,151,582.pn. and (output\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L4 | 84 | reservoir adj simulation | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| | 1 | (reservoir adj simulation) and (case adj scenario\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | | |
|------|---|---|
| 6 | (reservoir adj simulation) and (oilfield) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 8357 | (tree adj structure) or (tree adj like adj structure) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 505 | ((set or sets) same (superset or supersets) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 2 | ((tree adj structure) or (tree adj like adj structure)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 24 | ((tree adj structure) or (tree adj like adj structure)) and ((set or sets) same (supersej USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | |

09/270128

Thomas Miller

EAST SEARCH

5/24/02

Results of search set L25:(Simulation and (tree adj structure)) and (case adj scenario)

| Document | Document ID | Title | Source | Issue Date | Current OR |
|------------|-------------|--|--------|------------|------------|
| US 6321363 | B1 | Incremental simulation using previous simulation results and knowledge of changes | | 20011120 | 716/4 |
| US 6295636 | B1 | RTL analysis for improved logic synthesis | | 20010925 | 716/18 |
| US 6292931 | B1 | RTL analysis tool | | 20010918 | 716/18 |
| US 6289498 | B1 | VDHL/Verilog expertise and gate synthesis automation system | | 20010911 | 716/18 |
| US 6289491 | B1 | Netlist analysis tool by degree of conformity | | 20010911 | 716/5 |
| US 6266064 | B1 | Coherent visibility sorting and occlusion cycle detection for dynamic aggregate geor | | 20010724 | 345/421 |
| US 6263483 | B1 | Method of accessing the generic netlist created by synopsys design compiler | | 20010717 | 716/18 |
| US 6215503 | B1 | Image generator and method for resolving non-binary cyclic occlusions with image | | 20010410 | 345/629 |
| US 6205572 | B1 | Buffering tree analysis in mapped design | | 20010320 | 716/5 |
| US 6173435 | B1 | Internal clock handling in synthesis script | | 20010109 | 716/18 |
| US 6151582 | A | Decision support system for the management of an agile supply chain | | 20001121 | 705/8 |
| US 5953707 | A | Decision support system for the management of an agile supply chain | | 19990914 | 705/10 |
| US 5515477 | A | Neural networks | | 19960507 | 706/41 |

EAST SEARCH

12/5/01

| Databases | | Hits | | Search String | |
|-----------|-------|---|--|---------------|---|
| L1 | 2 | 6,106,561.pn. | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L2 | 2 | 6,018,497.pn. | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L3 | 67576 | Simulation | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L4 | 232 | Simulation and (case adj scenario\$) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L5 | 8 | Simulation and (case adj manager) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L6 | 2 | (Simulation and (case adj scenario\$)) and (scenario\$ adj manager) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L7 | 1 | (Simulation and (case adj scenario\$)) and (scenario\$ adj builder) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L8 | 4 | Simulation and (case adj builder) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L11 | 9 | Simulation and (results adj viewer) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L14 | 2 | (Simulation and ((3D or 3-D) adj viewer)) and (Simulation and (report adj generator) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L15 | 16 | Simulation and ((3D or 3-D) adj viewer) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L16 | 10 | Simulation and (run adj controller) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L17 | 132 | Simulation adj controller | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L19 | 49 | (Simulation adj controller) and display | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L20 | 20 | ((Simulation adj controller) and display) and monitor | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L10 | 48 | (Simulation and (report adj generator) and control) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L21 | 5 | (Simulation and (report adj generator) and control) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L22 | 54 | Simulation and (report adj generator) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L23 | 46 | (Simulation and (report adj generator)) and select | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L24 | 492 | Simulation and (tree adj structure) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L25 | 13 | (Simulation and (tree adj structure)) and (case adj scenario) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L26 | 233 | Simulation and (case adj scenario\$) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L27 | 123 | (Simulation and (case adj scenario\$)) and (organiz\$ or manag\$) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L28 | 2 | ((Simulation and (case adj scenario\$)) and (organiz\$ or manag\$)) and ((case or sce | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L29 | 4 | (Simulation and (case adj scenario\$)) and ((organiz\$ or manag\$) adj (case\$ or sce | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L30 | 67649 | Simulation | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L1 | 25 | Simulation and (tree adj like adj structure) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L2 | 22 | (Simulation and (tree adj like adj structure)) and (case\$ or scenario\$) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L3 | 2 | 6,151,582.pn. | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L4 | 1 | 6,151,582.pn. and (input or simulator) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L3 | 0 | 6,151,582.pn. and (simulation adj results) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L3 | 1 | 6,151,582.pn. and (output\$) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L4 | 84 | reservoir adj simulation | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| | 1 | (reservoir adj simulation) and (case adj scenario\$) | | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

6 (reservoir adj simulation) and (oilfield)

USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

09/270128

Thomas Miller

EAST SEARCH

12/5/01

Results of search set L25:(Simulation and (tree adj structure)) and (case adj scenario)

| Document | Document II Title | Source | Issue Date | Current OR |
|---------------|--|--------|------------|------------|
| US 6321363 B1 | Incremental simulation using previous simulation results and knowledge of changes | | 20011120 | 716/4 |
| US 6295636 B1 | RTL analysis for improved logic synthesis | | 20010925 | 716/18 |
| US 6292931 B1 | RTL analysis tool | | 20010918 | 716/18 |
| US 6289498 B1 | VDHL/Verilog expertise and gate synthesis automation system | | 20010911 | 716/18 |
| US 6289491 B1 | Netlist analysis tool by degree of conformity | | 20010911 | 716/5 |
| US 6266064 B1 | Coherent visibility sorting and occlusion cycle detection for dynamic aggregate geor | | 20010724 | 345/421 |
| US 6263483 B1 | Method of accessing the generic netlist created by synopsys design compiler | | 20010717 | 716/18 |
| US 6215503 B1 | Image generator and method for resolving non-binary cyclic occlusions with image | | 20010410 | 345/629 |
| US 6205572 B1 | Buffering tree analysis in mapped design | | 20010320 | 716/5 |
| US 6173435 B1 | Internal clock handling in synthesis script | | 20010109 | 716/18 |
| US 6151582 A | Decision support system for the management of an agile supply chain | | 20001121 | 705/8 |
| US 5953707 A | Decision support system for the management of an agile supply chain | | 19990914 | 705/10 |
| US 5515477 A | Neural networks | | 19960507 | 706/41 |

CLASS 707 DATA PROCESSING: DATABASE AND FILE MANAGEMENT OR DATA STRUCTURES

- 1 **DATABASE OR FILE ACCESSING** ←
- 2 . Access augmentation or optimizing ←
- 3 . Query processing (i.e., searching)
- 4 .. Query formulation, input preparation, or translation
- 5 .. Query augmenting and refining (e.g., inexact access)
- 6 .. Pattern matching access
- 7 . Sorting
- 8 . Concurrency (e.g., lock management in shared database)
- 9 . Privileged access
- 10 . Distributed or remote access
- 100 **DATABASE SCHEMA OR DATA STRUCTURE** ←
- 101 . Manipulating data structure (e.g., compression, compaction, compilation) ←
- 102 . Generating database or data structure (e.g., via user interface) ←
- 103 R . Object-oriented database structure
- 103 Y .. Object-oriented database structure processing
- 103 X .. Object-oriented database structure network
- 103 Z .. Object-oriented database structure reference
- 104.1 . Application of database or data structure (e.g., distributed, multimedia, image)
- 200 **FILE OR DATABASE MAINTENANCE**
- 201 . Coherency (e.g., same view to multiple users)
- 202 .. Recoverability
- 203 .. Version management
- 204 .. Archiving or backup
- 205 . File allocation
- 206 .. Garbage collection

FOREIGN ART COLLECTIONSFOR 000 **CLASS-RELATED FOREIGN DOCUMENTS**

EAST SEARCH

2/12/03

| L# | Hits | Search String | Databases |
|-----|-------|---|---|
| L1 | 2 | 6,106,561.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L2 | 2 | 6,018,497.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L3 | 67576 | Simulation | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L4 | 232 | Simulation and (case adj scenario\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L5 | 8 | Simulation and (case adj manager) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L6 | 2 | (Simulation and (case adj scenario\$)) and (scenario\$ adj manager) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L7 | 1 | (Simulation and (case adj scenario\$)) and (scenario\$ adj builder) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L8 | 4 | Simulation and (case adj builder) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L11 | 9 | Simulation and (results adj viewer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L14 | 2 | (Simulation and ((3D or 3-D) adj viewer)) and (Simulation and (report adj generator) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L15 | 16 | Simulation and ((3D or 3-D) adj viewer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L16 | 10 | Simulation and (run adj controller) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L17 | 132 | Simulation adj controller | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L19 | 49 | (Simulation adj controller) and display | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L20 | 20 | ((Simulation adj controller) and display) and monitor | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L10 | 48 | Simulation and (report adj generator) and control | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L21 | 5 | (Simulation and (report adj generator) and control) and (results adj file) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L22 | 54 | Simulation and (report adj generator) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L23 | 46 | (Simulation and (report adj generator)) and select | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L24 | 492 | Simulation and (tree adj structure) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L25 | 13 | (Simulation and (tree adj structure)) and (case adj scenario) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L26 | 233 | Simulation and (case adj scenario\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L27 | 123 | (Simulation and (case adj scenario\$)) and (organiz\$ or manag\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L28 | 2 | ((Simulation and (case adj scenario\$)) and (organiz\$ or manag\$)) and ((case or sce | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L29 | 4 | (Simulation and (case adj scenario\$)) and (organiz\$ or manag\$) adj (case\$ or scei | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L30 | 67649 | Simulation | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L1 | 25 | Simulation and (tree adj like adj structure) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L2 | 22 | (Simulation and (tree adj like adj structure)) and (case\$ or scenario\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L3 | 2 | 6,151,582.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L4 | 1 | 6,151,582.pn. and (input or simulator) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L3 | 0 | 6,151,582.pn. and (simulation adj results) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L3 | 1 | 6,151,582.pn. and (output\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| L4 | 84 | reservoir adj simulation | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| | 1 | (reservoir adj simulation) and (case adj scenario\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | | |
|------|--|---|
| 6 | (reservoir adj simulation) and (oilfield) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 8357 | (tree adj structure) or (tree adj like adj structure) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 505 | (set or sets) same (superset or supersets) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 2 | ((tree adj structure) or (tree adj like adj structure)) and ((set or sets) same (superset or supersets)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 24 | ((tree adj structure) or (tree adj like adj structure)) and ((set or sets) same (superset or supersets)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 81 | ("case builder" or editor) with keyword\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 15 | 1 and simulat\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 46 | (tree near2 structure) and (superset\$1 with set\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 80 | editor with keyword\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 771 | 345/853-854.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 136 | 5 and simulat\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 32 | 6 and (tree near2 structure) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 0 | 7 and (superset\$1 with set\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 31 | 7 and (superset\$1 or set\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 7605 | 707/1-2.ccls. or 707/100-104.1.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 1009 | 10 and (tree near2 structure) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 25 | 11 and (superset\$1 with set\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

09/270128

Thomas Miller

EAST SEARCH

2/12/03

Results of search set L25:(Simulation and (tree adj structure)) and (case adj scenario)

| Document | Title | Source | Issue Date | Current OR |
|---------------|--|--------|------------|------------|
| US 6321363 B1 | Incremental simulation using previous simulation results and knowledge of changes to simulation model to a | | 20011120 | 716/4 |
| US 6295636 B1 | RTL analysis for improved logic synthesis | | 20010925 | 716/18 |
| US 6292931 B1 | RTL analysis tool | | 20010918 | 716/18 |
| US 6289498 B1 | VDHL/Verilog expertise and gate synthesis automation system | | 20010911 | 716/18 |
| US 6289491 B1 | Netlist analysis tool by degree of conformity | | 20010911 | 716/5 |
| US 6266064 B1 | Coherent visibility sorting and occlusion cycle detection for dynamic aggregate geometry | | 20010724 | 345/421 |
| US 6263483 B1 | Method of accessing the generic netlist created by synopsys design compiler | | 20010717 | 716/18 |
| US 6215503 B1 | Image generator and method for resolving non-binary cyclic occlusions with image compositing operations | | 20010410 | 345/629 |
| US 6205572 B1 | Buffering tree analysis in mapped design | | 20010320 | 716/5 |
| US 6173435 B1 | Internal clock handling in synthesis script | | 20010109 | 716/18 |
| US 6151582 A | Decision support system for the management of an agile supply chain | | 20001121 | 705/8 |
| US 5953707 A | Decision support system for the management of an agile supply chain | | 19990914 | 705/10 |
| US 5515477 A | Neural networks | | 19960507 | 706/41 |

Results of s_arch set L3:(tree near2 structure) and (superset\$1 with set\$1)

| Document | Document II Title | Source | Issue Date | Current OR |
|-------------------|---|--------|------------|------------|
| US 20030018666 A1 | Interoperable retrieval and deposit using annotated schema to interface between industrial document specifi | | 20030123 | 715/513 |
| US 20030009253 A1 | Remotely monitoring/diagnosing distributed components of a supervisory process control and manufacturing | | 20030109 | 700/108 |
| US 20020190995 A1 | Methods for improving visibility computations in 3D computer graphics | | 20021219 | 345/581 |
| US 20020152294 A1 | Apparatus and method for representing a class inheritance hierarchy | | 20021017 | 709/223 |
| US 20020147703 A1 | Transformation-based method for indexing high-dimensional data for nearest neighbour queries | | 20021010 | 707/2 |
| US 20020138353 A1 | Method and system for analysis of database records having fields with sets | | 20020926 | 705/26 |
| US 20020133784 A1 | Automatic design of VLIW processors | | 20020919 | 716/1 |
| US 20020120914 A1 | Automatic design of VLIW processors | | 20020829 | 716/17 |
| US 20020065810 A1 | File system translators and methods for implementing the same | | 20020530 | 707/2 |
| US 20010055019 A1 | Multiple processor visibility search system and method | | 20011227 | 345/441 |
| US 6519592 B1 | Method for using data from a data query cache | | 20030211 | 707/6 |
| US 6496843 B1 | Generic object for rapid integration of data changes | | 20021217 | 715/526 |
| US 6493721 B1 | Techniques for performing incremental data updates | | 20021210 | 707/104.1 |
| US 6484161 B1 | Method and system for performing online data queries in a distributed computer system | | 20021119 | 707/3 |
| US 6457173 B1 | Automatic design of VLIW instruction formats | | 20020924 | 717/149 |
| US 6437796 B1 | Multiple processor visibility search system and method | | 20020820 | 345/622 |
| US 6421683 B1 | Method and product for performing data transfer in a computer system | | 20020716 | 707/104.1 |
| US 6408428 B1 | Automated design of processor systems using feedback from internal measurements of candidate systems | | 20020618 | 716/17 |
| US 6408294 B1 | Common term optimization | | 20020618 | 707/5 |
| US 6397228 B1 | Data enhancement techniques | | 20020528 | 707/203 |
| US 6393415 B1 | Adaptive partitioning techniques in performing query requests and request routing | | 20020521 | 707/2 |
| US 6385757 B1 | Auto design of VLIW processors | | 20020507 | 716/1 |
| US 6374241 B1 | Data merging techniques | | 20020416 | 707/6 |
| US 6324533 B1 | Integrated database and data-mining system | | 20011127 | 707/3 |
| US 6286002 B1 | System and method for storing and searching buy and sell information of a marketplace | | 20010904 | 707/10 |
| US 6266658 B1 | Index tuner for given workload | | 20010724 | 707/2 |
| US 6212528 B1 | Case-based reasoning system and method for scoring cases in a case database | | 20010403 | 707/103R |
| US 6185559 B1 | Method and apparatus for dynamically counting large itemsets | | 20010206 | 707/6 |
| US 6173280 B1 | Method and apparatus for generating weighted association rules | | 20010109 | 707/6 |
| US 6138117 A | Method and system for mining long patterns from databases | | 20001024 | 707/6 |
| US 6021411 A | Case-based reasoning system and method for scoring cases in a case database | | 20000201 | 707/103R |
| US 6003029 A | Automatic subspace clustering of high dimensional data for data mining applications | | 19991214 | 707/7 |
| US 59833225 A | Parameterized lock management system and method for conditional conflict serializability of transactions | | 19991109 | 707/8 |
| US 5960410 A | Device and method for object-based development of business applications software | | 19990928 | 705/21 |
| US 5842197 A | Selecting a qualified data repository to create an index | | 19981124 | 707/2 |
| US 5838965 A | Object oriented database management system | | 19981117 | 707/103R |
| US 5832475 A | Database system and method employing data cube operator for group-by operations | | 19981103 | 707/2 |

| | | |
|--------------|--|------------------|
| US 5826254 A | System for selectively browsing a large, distributed directory tree using authentication links | 19981020 707/5 |
| US 5742811 A | Method and system for mining generalized sequential patterns in a large database | 19980421 707/6 |
| US 5724573 A | Method and system for mining quantitative association rules in large relational tables | 19980303 707/6 |
| US 5647058 A | Method for high-dimensionality indexing in a multi-media database | 19970708 707/1 |
| US 5442784 A | Data management system for building a database with multi-dimensional search tree nodes | 19950815 707/102 |
| US 5404513 A | Method for building a database with multi-dimensional search tree nodes | 19950404 707/102 |
| US 5404512 A | Method for accessing a database with multi-dimensional search tree nodes | 19950404 707/3 |
| US 5257365 A | Database system with multi-dimensional summary search tree nodes for reducing the necessity to access re | 19931026 707/100 |
| US 4554625 A | Method for generating an optimized nested arrangement of constrained rectangles | 19851119 700/171 |